



# Certificate of Conformity

**Certificate:** 9373 – 1S

**Master Contract:** 724550

**Project:** 9373

**Date Issued:** August 11, 2010

**Issued to:** Advanced technology Systems LLC  
1256 Logan Street  
Louisville, KY  
USA, 40204

**Certification System Type 3**  
(ISO / IEC Guide 67)

***The products listed below are eligible to bear the LabTest Certification Mark with adjacent indicators 'C' and 'US', and the subject area as shown below.***



**Issued by:**

\_\_\_\_\_  
Technical Reviewer

**Authorized by:**

\_\_\_\_\_  
Certification Manager

## **PRODUCTS**

- ATS0009: Door Operator – 110Vac, 50/60Hz, 2A; Output: 9Vdc
- ATS0090: Door Operator – 110Vac, 50/60Hz, 2A; Output 90Vdc
- ATS Field "EZ": Door Operator – 110Vac, 50/60Hz, 2A; Output 90Vdc
- 6940V-240-5: Elevator Hoistway Door Interlocks – 240Vac, 50/60Hz, 5A

## **APPLICABLE REQUIREMENTS & SUBJECT AREA**

- CAN/CSA-B44.1:2004
- ANSI/ASME A17.5:2004

## **CONDITIONS OF ACCEPTABILITY**

- Permanently Connected
- Listed as a component of other Listed equipment where the suitability of the combination is to be determined by the Authority Having Jurisdiction.

The 'C' and 'US' indicators adjacent to the LabTest Certification Mark shall signify that the product has been evaluated by an accredited laboratory to the applicable CSA and UL Standards respectively. The subject area shall be displayed with the LabTest Certification Mark to identify the Standard Number, and Revision Level.